


## AMENDMENTS TO THE CLAIMS

*Listing of claims:*

1. (Currently Amended) A method comprising:  
contacting an oligomerization catalyst system and a feed comprising olefins and a diluent;  
oligomerizing said feed in at least one continuous reactor; and  
withdrawing from said at least one continuous reactor an effluent comprising product  
olefins having at least four carbon atoms, wherein the effluent comprises [[a]]the diluent and  
wherein [[said]]the diluent comprises 1-butene, 1-dodecene, 1-tetradecene, 1-hexadecene, 1-octadecene, or combinations thereof;  
wherein the oligomerization catalyst system comprises iron or cobalt, or combinations thereof; and  
wherein oligomerization to product olefins having at least four carbon atoms comprises a single pass conversion of ethylene of at least about 40 weight percent.
2. (Original) The method of Claim 1, wherein the single pass conversion of ethylene is at least about 65 weight percent.
3. (Original) The method of Claim 1, wherein product olefins having twelve carbon atoms comprise at least about 95 weight percent 1-dodecene.
4. (Original) The method of Claim 1, wherein the effluent comprises at least about 40 weight percent product olefins having at least four carbon atoms.

5. (Original) The method of Claim 1, wherein said product olefins comprise at least about 80 weight percent linear 1-alkenes.
6. (Original) The method of Claim 1, wherein said product olefins comprise at least about 20 weight percent alpha olefins having from about 8 to about 20 carbon atoms.
7. (Original) The method of Claim 1, wherein said oligomerization catalyst system comprises a metal alkyl or metal hydride species.
8. (Original) The method of Claim 7, wherein said metal alkyl or metal hydride species comprises one or more Lewis acids; a combination of one or more Lewis acids and one or more alkylating agents; one or more alkyl aluminum compounds; one or more alkyl aluminoxanes; methyl aluminoxane (MAO); modified MAO; tri-alkyl aluminum; diethylaluminum chloride (DEAC); or combinations thereof.
9. (Original) The method of Claim 1, wherein said oligomerization catalyst system comprises triethylaluminum (TEA), trimethylaluminum (TMA), tri-isobutyl aluminum (TIBA), tri-butyl aluminum, or combinations thereof.
10. (Original) The method of Claim 1, wherein the oligomerization catalyst system comprises a metal complex activated by a co-catalyst and wherein said metal complex comprises a ligand having chemical structure I:



I

wherein R<sup>1</sup>, R<sup>2</sup>, and R<sup>3</sup> are each independently hydrogen, hydrocarbyl, substituted hydrocarbyl, an inert functional group, or any two of R<sup>1</sup>-R<sup>3</sup>, vicinal to one another, taken together may form a ring;

R<sup>4</sup> and R<sup>5</sup> are each independently hydrogen, hydrocarbyl, substituted hydrocarbyl, or inert functional group; and


R<sup>6</sup> and R<sup>7</sup> may be identical or different, and are independently aryl, substituted aryl, optionally substituted heterohydrocarbyl moiety, optionally substituted aryl group in combination with and  $\pi$ -coordinated to a metal, optionally substituted aromatic hydrocarbon ring, or optionally substituted polyaromatic hydrocarbon moiety.

11. (Original) The method of Claim 1, wherein said oligomerization catalyst system is activated in the absence of ethylene.

12. (Original) The method of Claim 10, further comprising selecting  $R^1$ - $R^7$  such that said metal complex is symmetrical.

13. (Withdrawn) The method of Claim 10, further comprising selecting  $R^1$ - $R^7$  such that said metal complex is asymmetrical.

14. (Withdrawn) The method of Claim 1, wherein said oligomerization catalyst system comprises a metal complex activated by a co-catalyst and wherein said metal complex comprises a ligand having chemical structure II:




wherein  $R_1$ ,  $R_2$ , and  $R_3$  are each independently hydrogen, hydrocarbyl, substituted hydrocarbyl, or an inert functional group;

$R_4$  and  $R_5$  are each independently hydrogen, hydrocarbyl, an inert functional group, or substituted hydrocarbyl; and

Y is a structural bridge, and W, Y, and Z independently comprise hydrogen, hydrocarbyl, an inert functional group, or substituted hydrocarbyl having from about 0 to about 30 carbon atoms.

15. (Withdrawn) The method of Claim 1, wherein said oligomerization catalyst system comprises a metal complex activated by a co-catalyst and wherein said metal complex comprises a ligand having chemical structure III:



III


wherein R<sub>1</sub>-R<sub>3</sub> each comprise, independently, hydrogen, optionally substituted hydrocarbyl, an inert functional group, or any two of R<sub>1</sub>-R<sub>3</sub> vicinal to one another taken together may form a ring;

Z<sub>1</sub>, which is different from Z<sub>2</sub>, is an aryl or substituted aryl group; and

Z<sub>2</sub> comprises an aryl, substituted aryl, optionally substituted heterohydrocarbyl moiety, or an optionally substituted aryl group in combination with and  $\pi$ -coordinated to a metal.

16. (Withdrawn) The method of Claim 15, wherein  $Z_2$  is an aryl, substituted aryl, optionally substituted aromatic heterocyclic moiety, an optionally substituted polyaromatic heterocyclic moiety, an optionally substituted aliphatic heterocyclic moiety, or an optionally substituted aliphatic heterohydrocarbyl moiety.

17. (Withdrawn) The method of Claim 1, wherein said oligomerization catalyst system comprises a metal complex activated by a co-catalyst and wherein said metal complex comprises a ligand having chemical structure IV:



IV

wherein  $A_1$ - $A_6$  each comprise, independently, carbon, nitrogen, oxygen, or sulphur;


$A_1$  may be directly bonded to  $A_5$ ;

$R_1$ - $R_{12}$ ,  $R_{14}$ - $R_{15}$ , and, if present,  $R_{13}$ , are each, independently, hydrogen, optionally substituted hydrocarbyl, or an inert functional group;

any two of R<sub>1</sub>-R<sub>15</sub>, vicinal to one another, taken together may form a ring; and

conditionally, when A<sub>1</sub>-A<sub>5</sub> and A<sub>6</sub>, if present, are all carbon, said atoms constitute the cyclopentadienyl or aryl part of a [η]-coordinated metal.

18. (Withdrawn) The method of Claim 1, wherein said oligomerization catalyst system comprises a metal complex activated by a co-catalyst and wherein said metal complex comprises a ligand having chemical structure VI:




VI

wherein R<sub>1</sub>-R<sub>5</sub> and R<sub>7</sub>-R<sub>9</sub> and R<sub>12</sub>-R<sub>14</sub> are each, independently, hydrogen, substituted hydrocarbyl, an inert functional group, or any two of R<sub>1</sub>-R<sub>3</sub>, R<sub>7</sub>-R<sub>9</sub>, and R<sub>12</sub>-R<sub>14</sub>, vicinal to one another, taken together may form a ring; and

R<sub>6</sub>, R<sub>10</sub>, R<sub>11</sub>, and R<sub>15</sub> are identical and are selected from fluorine or chlorine.

19. (Withdrawn) The method of Claim 1, wherein said oligomerization catalyst system comprises a metal complex activated by a co-catalyst and wherein said metal complex comprises a ligand having chemical structure VII:



VII

wherein R<sub>1</sub>-R<sub>5</sub> and R<sub>7</sub>-R<sub>9</sub> and R<sub>12</sub>-R<sub>14</sub> are each, independently, hydrogen, substituted hydrocarbyl, an inert functional group, or any two of R<sub>1</sub>-R<sub>3</sub>, R<sub>7</sub>-R<sub>9</sub>, and R<sub>12</sub>-R<sub>14</sub>, vicinal to one another, taken together may form a ring;

R<sub>6</sub> is hydrogen, substituted hydrocarbyl, an inert functional group, or taken together with R<sub>7</sub> or R<sub>4</sub> to form a ring;

R<sub>10</sub> is hydrogen, substituted hydrocarbyl, an inert functional group, or taken together with R<sub>9</sub> or R<sub>4</sub> to form a ring; and

R<sub>11</sub> and R<sub>15</sub> are, independently, hydrogen or an inert functional group.

20. (Original) The method of Claim 1, wherein said oligomerization catalyst system comprises a selective 1-hexene (S1H) catalyst.



21. (Original) The method of Claim 20, wherein said oligomerization catalyst system comprises chromium.
22. (Original) The method of Claim 1, wherein said at least one continuous reactor comprises a loop reactor, tubular reactor, continuous stirred tank reactor, or combinations thereof.
23. (Original) The method of Claim 1, wherein said at least one continuous reactor comprises a loop reactor and fluid flow in said loop reactor comprises a Reynolds number of from about 200,000 to about 700,000.
24. (Original) The method of Claim 1, wherein said at least one continuous reactor comprises a tubular reactor and fluid flow in said tubular reactor comprises a Reynolds number of from about 300,000 to about 2,000,000.
25. (Original) The method of Claim 1, wherein at steady state the contents of said reactor are not turbid.
26. (Original) The method of Claim 1, wherein the effluent comprises a diluent and wherein said diluent comprising aliphatics, non-aliphatics, aromatics, saturated compounds having from 4 to 8 carbon atoms, or combinations thereof.

27. (Original) The method of Claim 1, wherein the effluent comprises a diluent and wherein said diluent comprises an aromatic compound having from about 6 to about 30 carbon atoms, or combinations thereof.

28. (Original) The method of Claim 1, wherein the effluent comprises a diluent and wherein said diluent comprises cyclohexane, benzene, toluene, xylene, ethylbenzene, or combinations thereof.

29. (Original) The method of Claim 1, wherein the effluent comprises a diluent and wherein said diluent comprises olefins having from about 4 to about 30 carbon atoms, or combinations thereof.

30. (Canceled)

31. (Original) The method of Claim 1, further comprising manipulating product olefin distribution by modifying a pressure of the reactor.

32. (Original) The method of Claim 1, further comprising injecting said feed and said catalyst system into said reactor at more than one point along the length of said reactor wherein said reactor is a tubular reactor.

33. (Original) The method of Claim 1, further comprising cooling said reactor with a coolant more volatile than water.

34. (Original) The method of Claim 1, further comprising cooling said reactor with a coolant, wherein said coolant comprises butane, isobutane, isopentane, or combinations thereof.

35. (Original) The method of Claim 1, wherein said reactor comprises a temperature of from about 40 to about 150 degrees Celsius.

36. (Currently Amended) A method comprising:

contacting an oligomerization catalyst system and a feed comprising olefins and a diluent;


oligomerizing said feed in at least one continuous reactor; and

withdrawing from said at least one continuous reactor an effluent comprising product olefins having at least four carbon atoms, wherein the effluent comprises [[a]]the diluent and wherein [[said]]the diluent comprises 1-butene, 1-dodecene, 1-tetradecene, 1-hexadecene, 1-octadecene, or combinations thereof;

wherein oligomerization to product olefins having at least four carbon atoms comprises a single pass conversion of ethylene of at least about 65 weight percent; and

wherein product olefins having twelve carbon atoms comprise at least about 95 weight percent 1-dodecene.

37. (Original) The method of Claim 36, wherein the catalyst system comprises a metal complex activated by a co-catalyst and wherein said metal complex comprises a ligand having chemical structure I:



I

wherein R<sup>1</sup>, R<sup>2</sup>, and R<sup>3</sup> are each independently hydrogen, hydrocarbyl, substituted hydrocarbyl, an inert functional group, or any two of R<sup>1</sup>-R<sup>3</sup>, vicinal to one another, taken together may form a ring;


R<sup>4</sup> and R<sup>5</sup> are each independently hydrogen, hydrocarbyl, substituted hydrocarbyl, or inert functional group; and

R<sup>6</sup> and R<sup>7</sup> may be identical or different, and are independently aryl, substituted aryl, optionally substituted heterohydrocarbyl moiety, optionally substituted aryl group in combination with and [π]-coordinated to a metal, optionally substituted aromatic hydrocarbon ring, or optionally substituted polyaromatic hydrocarbon moiety.

38. (Original) The method of Claim 37, further comprising selecting R<sup>1</sup>-R<sup>7</sup> such that said metal complex is symmetrical.

39. (Withdrawn) The method of Claim 37, further comprising selecting  $R^1$ - $R^7$  such that said metal complex is asymmetrical.

40. (Withdrawn) The method of Claim 36, wherein the catalyst system comprises a metal complex activated by a co-catalyst and wherein said metal complex comprises a ligand having chemical structure II:




wherein  $R_1$ ,  $R_2$ , and  $R_3$  are each independently hydrogen, hydrocarbyl, substituted hydrocarbyl, or an inert functional group;

$R_4$  and  $R_5$  are each independently hydrogen, hydrocarbyl, an inert functional group, or substituted hydrocarbyl; and

Y is a structural bridge, and W, Y, and Z independently comprise hydrogen, hydrocarbyl, an inert functional group, or substituted hydrocarbyl having from about 0 to about 30 carbon atoms.

41. (Withdrawn) The method of Claim 36, wherein the catalyst system comprises a metal complex activated by a co-catalyst and wherein said metal complex comprises a ligand having chemical structure III:



III


wherein R<sub>1</sub>-R<sub>5</sub> each comprise, independently, hydrogen, optionally substituted hydrocarbyl, an inert functional group, or any two of R<sub>1</sub>-R<sub>3</sub> vicinal to one another taken together may form a ring;

Z<sub>1</sub>, which is different from Z<sub>2</sub>, is an aryl or substituted aryl group; and

Z<sub>2</sub> comprises an aryl, substituted aryl, optionally substituted heterohydrocarbyl moiety, or an optionally substituted aryl group in combination with and  $\pi$ -coordinated to a metal.

42. (Withdrawn) The method of Claim 41, wherein Z<sub>2</sub> is an aryl, substituted aryl, optionally substituted aromatic heterocyclic moiety, an optionally substituted polyaromatic heterocyclic moiety, an optionally substituted aliphatic heterocyclic moiety, or an optionally substituted aliphatic heterohydrocarbyl moiety.

43. (Withdrawn) The method of Claim 36, wherein the catalyst system comprises a metal complex activated by a co-catalyst and wherein said metal complex comprises a ligand having chemical structure IV:



IV

wherein A<sub>1</sub>-A<sub>6</sub> each comprise, independently, carbon, nitrogen, oxygen, or sulphur;


A<sub>1</sub> may be directly bonded to A<sub>5</sub>;

R<sub>1</sub>-R<sub>12</sub>, R<sub>14</sub>-R<sub>15</sub>, and, if present, R<sub>13</sub>, are each, independently, hydrogen, optionally substituted hydrocarbyl, or an inert functional group;

any two of R<sub>1</sub>-R<sub>15</sub>, vicinal to one another, taken together may form a ring; and

conditionally, when A<sub>1</sub>-A<sub>5</sub> and A<sub>6</sub>, if present, are all carbon, said atoms constitute the cyclopentadienyl or aryl part of a [ ]-coordinated metal.

44. (Withdrawn) The method of Claim 36, wherein the catalyst system comprises a metal complex activated by a co-catalyst and wherein said metal complex comprises a ligand having chemical structure VI:




VI

wherein R<sub>1</sub>-R<sub>5</sub> and R<sub>7</sub>-R<sub>9</sub> and R<sub>12</sub>-R<sub>14</sub> are each, independently, hydrogen, substituted hydrocarbyl, an inert functional group, or any two of R<sub>1</sub>-R<sub>3</sub>, R<sub>7</sub>-R<sub>9</sub>, and R<sub>12</sub>-R<sub>14</sub>, vicinal to one another, taken together may form a ring; and

R<sub>6</sub>, R<sub>10</sub>, R<sub>11</sub>, and R<sub>15</sub> are identical and are selected from fluorine or chlorine.

45. (Withdrawn) The method of Claim 36, wherein the catalyst system comprises a metal complex activated by a co-catalyst and wherein said metal complex comprises a ligand having chemical structure VII:





VII

wherein  $R_1$ - $R_5$  and  $R_7$ - $R_9$  and  $R_{12}$ - $R_{14}$  are each, independently, hydrogen, substituted hydrocarbyl, an inert functional group, or any two of  $R_1$ - $R_3$ ,  $R_7$ - $R_9$ , and  $R_{12}$ - $R_{14}$ , vicinal to one another, taken together may form a ring;

$R_6$  is hydrogen, substituted hydrocarbyl, an inert functional group, or taken together with  $R_7$  or  $R_4$  to form a ring;

$R_{10}$  is hydrogen, substituted hydrocarbyl, an inert functional group, or taken together with  $R_9$  or  $R_4$  to form a ring; and

$R_{11}$  and  $R_{15}$  are, independently, hydrogen or an inert functional group.

46. (Original) The method of Claim 36, wherein the effluent comprises at least about 40 weight percent product olefins having at least four carbon atoms.

47. (Original) The method of Claim 36, wherein said product olefins comprise at least about 80 weight percent linear 1-alkenes.
48. (Original) The method of Claim 36, wherein said product olefins comprise at least about 20 weight percent alpha olefins having from about 8 to about 20 carbon atoms.
49. (Original) The method of Claim 36, wherein said oligomerization catalyst system comprises a metal alkyl or metal hydride species.
50. (Original) The method of Claim 49, wherein said metal alkyl or metal hydride species comprises one or more Lewis acids; a combination of one or more Lewis acids and one or more alkylating agents; one or more alkyl aluminum compounds; one or more alkyl aluminoxanes; methyl aluminoxane (MAO); modified MAO; tri-alkyl aluminum; diethylaluminum chloride (DEAC); or combinations thereof.
51. (Previously presented) The method of Claim 36, wherein said oligomerization catalyst system comprises triethylaluminum (TEA), trimethylaluminum (TMA), Tri-isobutyl Aluminum (TIBA), Tri-butyl Aluminum, or combinations thereof.
52. (Original) The method of Claim 36, wherein the effluent comprises a diluent and wherein said diluent comprises an aromatic compound having from about 6 to about 30 carbon atoms, or combinations thereof.

53. (Original) The method of Claim 36, wherein the effluent comprises a diluent and wherein said diluent comprises cyclohexane, benzene, toluene, xylene, ethylbenzene, or combinations thereof.

54. (Original) The method of Claim 36, wherein the effluent comprises a diluent and wherein said diluent comprises olefins having from about 4 to about 30 carbon atoms, or combinations thereof.

55. (Canceled)

56. (Original) The method of Claim 36, further comprising manipulating product olefin distribution by modifying a pressure of the reactor.

57. (Original) The method of Claim 36, further comprising injecting said feed and said catalyst system into said reactor at more than one point along the length of said reactor wherein said reactor is a tubular reactor.

58. (Original) The method of Claim 36, further comprising cooling said reactor with a coolant more volatile than water.

59. (Original) The method of Claim 36, further comprising cooling said reactor with a coolant, wherein said coolant comprises butane, isobutane, isopentane, or combinations thereof.

60. (Original) The method of Claim 36, wherein said reactor comprises a temperature of from about 40 to about 150 degrees Celsius.

61. (Original) The method of Claim 36, wherein said catalyst system comprises a transition metal.

62. (Original) The method of Claim 36, wherein said catalyst system comprises iron or cobalt, or combinations thereof.

63. (Original) The method of Claim 36, wherein said catalyst system comprises nickel.

64. (Original) The method of Claim 36, wherein said reactor comprises a loop reactor, tubular reactor, continuous stirred tank reactor, or combinations thereof.

65. (Original) The method of Claim 36, wherein said at least one continuous reactor comprises a loop reactor and fluid flow in said loop reactor comprises a Reynolds number of from about 200,000 to about 700,000.

66. (Original) The method of Claim 36, wherein said at least one continuous reactor comprises a tubular reactor and fluid flow in said tubular reactor comprises a Reynolds number of from about 300,000 to about 2,000,000.

67. (Original) The method of Claim 36, wherein at steady state the contents of said reactor are not turbid.

68-76. (Canceled)